WISCONSIN DEPARTMENT OF SAFETY AND PROFESSIONAL SERVICES



Wisconsin Department of Safety and Professional Services Access to the Public Records of the Reports of Decisions

This Reports of Decisions document was retrieved from the Wisconsin Department of Safety and Professional Services website. These records are open to public view under Wisconsin's Open Records law, sections 19.31-19.39 Wisconsin Statutes.

Please read this agreement prior to viewing the Decision:

• The Reports of Decisions is designed to contain copies of all orders issued by credentialing authorities within the Department of Safety and Professional Services from November, 1998 to the present. In addition, many but not all orders for the time period between 1977 and November, 1998 are posted. Not all orders issued by a credentialing authority constitute a formal disciplinary action.

• Reports of Decisions contains information as it exists at a specific point in time in the Department of Safety and Professional Services data base. Because this data base changes constantly, the Department is not responsible for subsequent entries that update, correct or delete data. The Department is not responsible for notifying prior requesters of updates, modifications, corrections or deletions. All users have the responsibility to determine whether information obtained from this site is still accurate, current and complete.

• There may be discrepancies between the online copies and the original document. Original documents should be consulted as the definitive representation of the order's content. Copies of original orders may be obtained by mailing requests to the Department of Safety and Professional Services, PO Box 8935, Madison, WI 53708-8935. The Department charges copying fees. *All requests must cite the case number, the date of the order, and respondent's name* as it appears on the order.

• Reported decisions may have an appeal pending, and discipline may be stayed during the appeal. Information about the current status of a credential issued by the Department of Safety and Professional Services is shown on the Department's Web Site under "License Lookup."

The status of an appeal may be found on court access websites at: http://ccap.courts.state.wi.us/InternetCourtAccess and http://www.courts.state.wi.us/wscca

•Records not open to public inspection by statute are not contained on this website.

By viewing this document, you have read the above and agree to the use of the Reports of Decisions subject to the above terms, and that you understand the limitations of this on-line database.

Correcting information on the DSPS website: An individual who believes that information on the website is inaccurate may contact <u>DSPS@wisconsin.gov</u>

STATE OF WISCONSIN BEFORE THE DEPARTMENT OF SAFETY AND PROFESSIONAL SERVICES

IN THE MATTER OF DISCIPLINARY PROCEEDINGS AGAINST	:	NOTICE OF SUSPENSION
CULLEN HANSON,	•	
RESPONDENT.		ORDER 0008432 Case # 21 COM 141

TO: Cullen Hanson 1711 270th Street Luck, Wisconsin 54853

Pursuant to Wis. Stat. § 145.10(2) and Wis. Admin. Code § SPS 305.10(2)(a)2 you are hereby notified that your Master Plumber License #1025793 is hereby **suspended** due to you engaging in negligence, incompetence or misconduct in the practice or work allowed by your license.

The suspension shall be for four (4) weeks beginning on March 27, 2023, and expiring on April 23, 2023, and your license shall not be reinstated until you request reinstatement to the Department. You may send your request to <u>dspscredtrades@wisconsin.gov</u> anytime after April 23, 2023. Please indicate your case number, 21 COM 141 and the Order number at the top of this document. The Department is waiving the requirement of application fee as stated in Wis. Admin. Code § SPS 305.10(2)(e)1.

You are receiving this suspension because the Department received a complaint alleging that you were negligent or incompetent in completing an inspection of a Private Onsite Wastewater Treatment System (POWTS) and that you incorrectly identified the tank as a 1000-gallon concrete tank when it was actually an 800-gallon metal tank. The Department opened a file on the complaint and conducted an investigation.

After completion of the investigation and affording you the opportunity for a hearing on March 13, 2023, as allowed by Wis. Stat. § 145.10(2), the Department finds there is a preponderance of evidence that you were negligent or incompetent in completing the inspection of the POWTS and in the report you completed. The Department finds this inspection relates to your credential as a master plumber as a license is required to inspect existing POWTS pursuant to Wis. Admin. Code § SPS 383.54(4)(d). Based on this finding the Department finds that a suspension is appropriate as allowed by Wis. Stat. § 145.10(2) and Wis. Admin. Code § SPS 305.10(2)(e)1.

Pursuant to Wis. Admin. Code § SPS 305.10(2)(e)1 you may request a hearing on this matter before the Secretary. A request for a hearing shall include a statement of the specific reasons why the person believes the suspension and the grounds for suspension should be overturned. A request for a hearing shall be denied if the request is received more than 30 days after issuance of the decision by the administrator. A hearing held by the secretary or designee to review the decision of the administrator shall be a contested case hearing. The hearing and the decision issued after the hearing shall be governed by the provisions under ch. 227, Stats.

-

Dated at Madison, Wisconsin on _____ March 15th , 2023.

<u>Branden Piper</u> Branden Piper

s 💊

Branden Piper ' Division Administrator, Department of Safety and Professional Services